

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic

Animals

### CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wear chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### First Aid

**IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take of contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor immediately for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### HOT LINE NUMBER

For 24 hour Medical Emergency Assistance (Human Or Animal) Or Chemical Emergency Assistance (Spill, Leak, Fire Or Accident) CALL 1-800-888-4372

#### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters, unless in accordance with the requirements of the NATIONAL Pollutant Discharge Elimination System (NPDES) Permit and the permitting Authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS.**  
Do not store or use in presence of fire, sparks or spark-producing devices. Dust may ignite explosively.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store at ambient temperature in a dry place.  
**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of in accordance with Federal, State and local regulations under the Resource Conservation and Recovery Act. Contact your state pesticide or Environmental Control Agency, or the Nearest Regional office for guidance.  
**Container Disposal:** Completely empty bag by shaking and tipping sides and bottom to loosen clinging particles. Empty into application equipment. Then dispose of bags in local sanitary landfill or by incineration if allowed by State and local authorities. If burned stay out of smoke.

# Fresh Ban T

Active Ingredients:

2-(4-thiazolyl) benzimidazole ..... 99.5%

Inert Ingredients: ..... 0.5%

TOTAL ..... 100.0%

KEEP OUT OF REACH OF CHILDREN

# CAUTION

See Side Panel For Precautionary Statements

EPA Reg. No. 43410-33-33354

EPA Est. No. 33354-FL-1

Sold By:

Fresh Mark Corporation  
Mascotte, FL 34753

Net Contents 1.25 lbs.

## PRODUCT DIRECTIONS

### FRUITS and VEGETABLES -

Prepare a suspension of Fresh Ban T by dispersing the appropriate amount in water with a wetting agent. Apply-Chem's WETTING AGENT T is recommended at the rate of 16 oz. per 100 gallons. Application may be made in postharvest washes. When mixing in wash, do not use a wetting agent.

When using as a dip, discard suspension when (1) it becomes dirty, (2) after it has been used 5 times or (3) when the volume becomes too low for use.

Use Fresh Ban T in suspension at the rate outlined below. Quantities given in the table are in ounces or pounds and ounces per 100 gallons of suspension. Maintain constant agitation of suspensions while in use.

DILUTION TABLE	Weight of Product
200 ppm	2.7 oz.
1000 ppm	13.4 oz.
1500 ppm	1 lb. 4.0 oz.
2000 ppm	1 lb. 10.7 oz.
3000 ppm	2 lb. 8.1 oz.
4000 ppm	3 lb. 5.4 oz.
5000 ppm	4 lb. 2.8 oz.

Note: Fungi may develop resistance to thiazolidazole fungicide, if such tolerance is suspected, switching to a non-benzimidazole fungicide is advised. Check with your supplier if confirmatory tests are desired.

Where a range of treatments are given for a commodity. The lower value (dosage) is to be used when the produce is in optimum condition and inoculum levels are low. When fruit is delayed from harvest to treatment or inoculum levels in the packinghouse are high use the higher dosage.

**POTATOES - (Fusarium Tuber Rot):** Mist tubers on a conveyor line, with tumbling action, entering storage with a suspension of Fresh Ban T at one gallon of 1500 ppm to each 2000 lbs. of tubers. If additional treatment is necessary before shipping and cutting the seed tubers, dip the tubers for 20 seconds, or mist at the same rate.

CONSULT YOUR STATE AGRICULTURAL EXPERIMENT STATION OR EXTENSION SPECIALIST FOR FURTHER INFORMATION CONCERNING THIS PRODUCT IN YOUR AREA.

Seller warrants that this material conforms to the ingredient statement on the label and is reasonably fit for the purposes referred to in the Directions for Use. No other express or implied, is made. This includes any other express or implied warranty of FITNESS or MERCHANTABILITY, and no agent of Seller is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential damages, such as loss of profits or values.